







			Aristarco S.p.A. Via del Lavoro 30 - 31033, www.aristarco.it CF/PI/VAT: IT01823140262 Castelfranco				
PRICE LIST 04-2026			ICE				
							
M = Full cube 18 gr.	L = Full cube 36 gr.	Hollow cube 21 gr.	HD = Half dice cube 6 gr.	D = Dice cube 10 gr.	LD = Large dice cube 17 gr.		
	Phoenix Series			Hotels ●●●●	Spas ○○○○		
	Full ice cube 18 gr. (M cube) - Spray system			Restaurants ●●●●	Fish Markets ○○○○		
				Fast Food ●○○○	Supermarkets ○○○○		
				Bars ●●●●	Medical ○○○○		
				Discos ●●●●	Industrial ○○○○		
	Dimensions (wxdxh)	24h prod.	Storage capacity	Cooling system	Standard voltage	Type of refrigerant	Price
PHE 25.6 M A (CP 25.6 A)	365 x 520 x 600mm ^(*)	25 Kg	6 Kg	Air	230V 50Hz	R 290	€ 1340,00
PHE 25.6 M W (CP 25.6 W)	365 x 520 x 600mm ^(*)	25 Kg	6 Kg	Water	230V 50Hz	R 290	€ 1400,00
PHE 30.12 M A (CP 30.12 A)	390 x 550 x 690mm ^(*)	30 Kg	12 Kg	Air	230V 50Hz	R 290	€ 1590,00
PHE 30.12 M W (CP 30.12 W)	390 x 550 x 690mm ^(*)	30 Kg	12 Kg	Water	230V 50Hz	R 290	€ 1650,00
PHE 40.15 M A (CP 40.15 A)	500 x 600 x 685mm ^(*)	40 Kg	15 Kg	Air	230V 50Hz	R 290	€ 1810,00
PHE 40.15 M W (CP 40.15 W)	500 x 600 x 685mm ^(*)	40 Kg	15 Kg	Water	230V 50Hz	R 290	€ 1870,00
PHE 45.15 M A (CP 45.15 A)	500 x 600 x 685mm ^(*)	45 Kg	15 Kg	Air	230V 50Hz	R 290	€ 1900,00
PHE 45.15 M W (CP 45.15 W)	500 x 600 x 685mm ^(*)	45 Kg	15 Kg	Water	230V 50Hz	R 290	€ 1960,00
PHE 50.25 M A (CP 50.25 A)	500 x 600 x 795mm ^(*)	50 Kg	25 Kg	Air	230V 50Hz	R 290	€ 2020,00
PHE 50.25 M W (CP 50.25 W)	500 x 600 x 795mm ^(*)	50 Kg	25 Kg	Water	230V 50Hz	R 290	€ 2080,00
PHE 60.40 M A (CP 60.40 A)	736 x 620 x 800mm ^(*)	60 Kg	40 Kg	Air	230V 50Hz	R 290	€ 2550,00
PHE 60.40 M W (CP 60.40 W)	736 x 620 x 800mm ^(*)	60 Kg	40 Kg	Water	230V 50Hz	R 290	€ 2610,00
PHE 80.40 M A (CP 80.40 A)	736 x 620 x 900mm ^(**)	80 Kg	40 Kg	Air	230V 50Hz	R 290	€ 2900,00
PHE 80.40 M W (CP 80.40 W)	736 x 620 x 900mm ^(**)	80 Kg	40 Kg	Water	230V 50Hz	R 290	€ 2960,00
PHE 100.55 M A (CP 100.60 A)	736 x 620 x 985mm ^(**)	100 Kg	55 Kg	Air	230V 50Hz	R 290	€ 3090,00
PHE 100.55 M W (CP 100.60 W)	736 x 620 x 985mm ^(**)	100 Kg	55 Kg	Water	230V 50Hz	R 290	€ 3150,00
PHE 140.70 M A (CP 135.75 A)	840 x 760 x 985mm ^(**)	140 Kg	70 Kg	Air	230V 50Hz	R 290	€ 3940,00
PHE 140.70 M W (CP 135.75 W)	840 x 760 x 985mm ^(**)	140 Kg	70 Kg	Water	230V 50Hz	R 290	€ 4000,00
PHE 160.70 M A (CP 165.75 A)	840 x 760 x 985mm ^(**)	160 Kg	70 Kg	Air	230V 50Hz	R 290	€ 4180,00
PHE 160.70 M W (CP 165.75 W)	840 x 760 x 985mm ^(**)	160 Kg	70 Kg	Water	230V 50Hz	R 290	€ 4240,00
PHE 160 M A (CP 165 A)	870 x 530 x 785mm	160 Kg	Separate	Air	230V 50Hz	R 290	€ 4020,00
PHE 160 M W (CP 165 W)	870 x 530 x 785mm	160 Kg	Separate	Water	230V 50Hz	R 290	€ 4080,00
PHE 300 M A (CP 300 A)	1255 x 595 x 860mm	300 Kg	Separate	Air	230V 50Hz	R 452 A	€ 6650,00
PHE 300 M W (CP 300 W)	1255 x 595 x 860mm	300 Kg	Separate	Water	230V 50Hz	R 452 A	€ 6650,00
	Phoenix Series			Hotels ●●●●	Spas ○○○○		
	Full ice cube 36 gr. (L cube) - Spray system			Restaurants ●●●●	Fish Markets ○○○○		
				Fast Food ●○○○	Supermarkets ○○○○		
				Bars ●●●●	Medical ○○○○		
				Discos ●●●●	Industrial ○○○○		
	Dimensions (wxdxh)	24h prod.	Storage capacity	Cooling system	Standard voltage	Type of refrigerant	Price
PHE 25.6 L A (CS 25.6 A)	365 x 520 x 600mm ^(*)	25 Kg	6 Kg	Air	230V 50Hz	R 290	€ 1340,00
PHE 25.6 L W (CS 25.6 W)	365 x 520 x 600mm ^(*)	25 Kg	6 Kg	Water	230V 50Hz	R 290	€ 1400,00
PHE 30.12 L A (CS 30.12 A)	390 x 550 x 690mm ^(*)	30 Kg	12 Kg	Air	230V 50Hz	R 290	€ 1590,00
PHE 30.12 L W (CS 30.12 W)	390 x 550 x 690mm ^(*)	30 Kg	12 Kg	Water	230V 50Hz	R 290	€ 1650,00
PHE 40.15 L A (CS 40.15 A)	500 x 600 x 685mm ^(*)	40 Kg	15 Kg	Air	230V 50Hz	R 290	€ 1810,00
PHE 40.15 L W (CS 40.15 W)	500 x 600 x 685mm ^(*)	40 Kg	15 Kg	Water	230V 50Hz	R 290	€ 1870,00
PHE 45.15 L A (CS 45.15 A)	500 x 600 x 685mm ^(*)	45 Kg	15 Kg	Air	230V 50Hz	R 290	€ 1900,00
PHE 45.15 L W (CS 45.15 W)	500 x 600 x 685mm ^(*)	45 Kg	15 Kg	Water	230V 50Hz	R 290	€ 1960,00
PHE 50.25 L A (CS 50.25 A)	500 x 600 x 795mm ^(*)	50 Kg	25 Kg	Air	230V 50Hz	R 290	€ 2020,00

(*) Dimension without feet H feet = 0 ÷ 20mm

(**) Dimension without feet H feet = 125 ÷ 190mm

(***) Dimension without feet H feet = 80 ÷ 100mm

PHE 50.25 L W (CS 50.25 W)	500 x 600 x 795mm ^(*)	50 Kg	25 Kg	Water	230V 50Hz	R 290	€ 2080,00
PHE 60.40 L A (CS 60.40 A)	736 x 620 x 800mm ^(*)	60 Kg	40 Kg	Air	230V 50Hz	R 290	€ 2550,00
PHE 60.40 L W (CS 60.40 W)	736 x 620 x 800mm ^(*)	60 Kg	40 Kg	Water	230V 50Hz	R 290	€ 2610,00
PHE 80.40 L A (CS 80.40 A)	736 x 620 x 900mm ^(**)	80 Kg	40 Kg	Air	230V 50Hz	R 290	€ 2900,00
PHE 80.40 L W (CS 80.40 W)	736 x 620 x 900mm ^(**)	80 Kg	40 Kg	Water	230V 50Hz	R 290	€ 2960,00
PHE 100.55 L A (CS 100.60 A)	736 x 620 x 985mm ^(**)	100 Kg	55 Kg	Air	230V 50Hz	R 290	€ 3090,00
PHE 100.55 L W (CS 100.60 W)	736 x 620 x 985mm ^(**)	100 Kg	55 Kg	Water	230V 50Hz	R 290	€ 3150,00
PHE 140.70 L A (CS 135.75 A)	840 x 760 x 985mm ^(**)	140 Kg	70 Kg	Air	230V 50Hz	R 290	€ 3940,00
PHE 140.70 L W (CS 135.75 W)	840 x 760 x 985mm ^(**)	140 Kg	70 Kg	Water	230V 50Hz	R 290	€ 4000,00
PHE 160.70 L A (CS 165.75 A)	840 x 760 x 985mm ^(**)	160 Kg	70 Kg	Air	230V 50Hz	R 290	€ 4180,00
PHE 160.70 L W (CS 165.75 W)	840 x 760 x 985mm ^(**)	160 Kg	70 Kg	Water	230V 50Hz	R 290	€ 4240,00
PHE 160 L A (CS 165 A)	870 x 530 x 785mm	160 Kg	Separate	Air	230V 50Hz	R 290	€ 4020,00
PHE 160 L W (CS 165 W)	870 x 530 x 785mm	160 Kg	Separate	Water	230V 50Hz	R 290	€ 4080,00
PHE 280 L A (CS 280 A)	1255 x 595 x 860mm	280 Kg	Separate	Air	230V 50Hz	R 452 A	€ 6650,00
PHE 280 L W (CS 280 W)	1255 x 595 x 860mm	280 Kg	Separate	Water	230V 50Hz	R 452 A	€ 6650,00

	Lynx Series	Hotels	●●●●	Spas	○○○○		
		Restaurants	●●●●	Fish Markets	○○○○		
		Fast Food	●○○○	Supermarkets	○○○○		
		Bars	●●●●	Medical	○○○○		
		Hollow ice cube 21 gr. - Paddle system		Discos	●○○○	Industrial	○○○○
	Dimensions (wxdxh)	24h prod.	Storage capacity	Cooling system	Standard voltage	Type of refrigerant	Price
LYN 20.5 A (CV 20.5 A)	340 x 545 x 620mm ^(a)	20 Kg	5 Kg	Air	230V 50Hz	R 290	€ 1710,00
LYN 20.5 W (CV 20.5 W)	340 x 545 x 620mm ^(a)	20 Kg	5 Kg	Water	230V 50Hz	R 290	€ 1750,00
LYN 25.7 A (CV 25.7 A)	340 x 545 x 690mm ^(a)	25 Kg	7 Kg	Air	230V 50Hz	R 290	€ 1800,00
LYN 25.7 W (CV 25.7 W)	340 x 545 x 690mm ^(a)	25 Kg	7 Kg	Water	230V 50Hz	R 290	€ 1840,00
LYN 35.12 A (CV 35.12 A)	450 x 545 x 690mm ^(a)	35 Kg	12 Kg	Air	230V 50Hz	R 290	€ 2100,00
LYN 35.12 W (CV 35.12 W)	450 x 545 x 690mm ^(a)	35 Kg	12 Kg	Water	230V 50Hz	R 290	€ 2140,00
LYN 45.16 A (CV 45.16 A)	500 x 600 x 690mm ^(a)	45 Kg	16 Kg	Air	230V 50Hz	R 290	€ 2420,00
LYN 45.16 W (CV 45.16 W)	500 x 600 x 690mm ^(a)	45 Kg	16 Kg	Water	230V 50Hz	R 290	€ 2460,00
LYN 50.21 A (CV 50.21 A)	500 x 585 x 880mm ^(a)	50 Kg	21 Kg	Air	230V 50Hz	R 290	€ 2600,00
LYN 50.21 W (CV 50.21 W)	500 x 585 x 880mm ^(a)	50 Kg	21 Kg	Water	230V 50Hz	R 290	€ 2640,00
LYN 60.28 A (CV 60.28 A)	600 x 585 x 880mm ^(aaa)	60 Kg	28 Kg	Air	230V 50Hz	R 290	€ 2990,00
LYN 60.28 W (CV 60.28 W)	600 x 585 x 880mm ^(aaa)	60 Kg	28 Kg	Water	230V 50Hz	R 290	€ 3030,00
LYN 90.40 A (CV 90.40 A)	800 x 585 x 880mm ^(aaa)	90 Kg	40 Kg	Air	230V 50Hz	R 290	€ 3670,00
LYN 90.40 W (CV 90.40 W)	800 x 585 x 880mm ^(aaa)	90 Kg	40 Kg	Water	230V 50Hz	R 290	€ 3710,00

	Pictor Series	Hotels	●●○○	Spas	○○○○		
		Restaurants	●○○○	Fish Markets	○○○○		
		Fast Food	●●●●	Supermarkets	●○○○		
		Bars	●●●○	Medical	○○○○		
		Discos	●●●●	Industrial	●○○○		
<i>Dice ice 6/10/17 gr. - Vertical evaporator</i>							
	Dimensions (wxdxh)	24h prod.	Storage capacity	Cooling system	Standard voltage	Type of refrigerant	Price
PIC 152 A (CQ 152 A)	560 x 620 x 575mm	140 Kg	Separate	Air	230V 50Hz	R 290	€ 4050,00
PIC 152 W (CQ 152 W)	560 x 620 x 575mm	140 Kg	Separate	Water	230V 50Hz	R 290	€ 4200,00
PIC 252 A (CQ 252 A)	760 x 620 x 575mm	220 Kg	Separate	Air	230V 50Hz	R 290	€ 4550,00
PIC 252 W (CQ 252 W)	760 x 620 x 575mm	205 Kg	Separate	Water	230V 50Hz	R 290	€ 4700,00
PIC 302 A (CQ 302 A)	760 x 620 x 575mm	280 Kg	Separate	Air	230V 50Hz	R 290	€ 4960,00
PIC 302 W (CQ 302 W)	760 x 620 x 575mm	250 Kg	Separate	Water	230V 50Hz	R 290	€ 5110,00
PIC 402 A (CQ 402 A)	760 x 620 x 725mm	380 Kg	Separate	Air	230V 50Hz	R 290	€ 6200,00
PIC 402 W (CQ 402 W)	760 x 620 x 725mm	370 Kg	Separate	Water	230V 50Hz	R 290	€ 6350,00


	Sculptor Series	Hotels ●●●●		Spas ●●●●			
		Restaurants ●●●●		Fish Markets ●●●●			
		Fast Food ●●●○		Supermarkets ●●●●			
		Bars ●●●○		Medical ●●●●			
		Discos ●●●○		Industrial ●●●●			
Granular Ice							
Dimensions (wxdxh)		24h prod.	Storage capacity	Cooling system	Standard voltage	Type of refrigerant	Price
SCL 120.20 A	500 x 670 x 700mm ^(**)	120 Kg	20 Kg	Air	230V 50Hz	R 290	€ 3700,00
SCL 120.20 W	500 x 670 x 700mm ^(**)	120 Kg	20 Kg	Water	230V 50Hz	R 290	€ 3760,00
SCL 120.30 A	500 x 670 x 810mm ^(**)	120 Kg	30 Kg	Air	230V 50Hz	R 290	€ 3950,00
SCL 120.30 W	500 x 670 x 810mm ^(**)	120 Kg	30 Kg	Water	230V 50Hz	R 290	€ 4010,00
SCL 150.60 A	736 x 690 x 995mm ^(**)	150 Kg	60 Kg	Air	230V 50Hz	R 290	€ 4430,00
SCL 150.60 W	736 x 690 x 995mm ^(**)	150 Kg	60 Kg	Water	230V 50Hz	R 290	€ 4490,00
SCL 150 A	562 x 571 x 603mm	150 Kg	Separate	Air	230V 50Hz	R 290	€ 4200,00
SCL 150 W	562 x 571 x 603mm	150 Kg	Separate	Water	230V 50Hz	R 290	€ 4260,00
SCL 270 A	562 x 571 x 603mm	270 Kg	Separate	Air	230V 50Hz	R 290	€ 5570,00
SCL 270 W	562 x 571 x 603mm	270 Kg	Separate	Water	230V 50Hz	R 290	€ 5630,00
SCL 500 A	562 x 571 x 603mm	500 Kg	Separate	Air	230V 50Hz	R 290	soon available
SCL 500 W	562 x 571 x 603mm	500 Kg	Separate	Water	230V 50Hz	R 290	soon available

(*) Dimension without feet H feet = 0 ÷ 20mm

(**) Dimension without feet H feet = 125 ÷ 190mm

(***) Dimension without feet H feet = 80 ÷ 100mm

		Andromeda Series				Hotels	○○○○	Spas	●○○○
						Restaurants	●○○○	Fish Markets	●●●●
						Fast Food	○○○○	Supermarkets	●●●●
						Bars	○○○○	Medical	●○○○
						Discos	○○○○	Industrial	●●●●
Flat Ice Flakes									
Dimensions (wxdxh)		24h prod.	Storage capacity	Cooling system	Standard voltage	Type of refrigerant	Price (without S/S cover) Price (with S/S)		
AND 250 A (SPS 250 A)		1015 x 590 x 765mm	250 Kg	Separate	Air	230V 50Hz	R 452A	€ 10.850 € 11.600	
AND 600 A (SPS 600 A)		1110 x 640 x 800mm	600 Kg	Separate	Air	400V 3N 50Hz	R 452A	€ 13.130 € 13.860	
AND 1000 A (SPS 1000 A)		1110 x 640 x 840mm	1000 Kg	Separate	Air	400V 3N 50Hz	R 452A	€ 16.990 € 17.750	
AND 1500 A (SPS 1500 A)		1380 x 740 x 970mm	1500 Kg	Separate	Air	400V 3N 50Hz	R 452A	€ 22.690 € 23.690	
AND 600 Split (SPS 600 Split)		600 x 640 x 845mm	600 Kg	Separate	-	230V 50Hz	R 452A	€ 9.670 € 10.180	
AND 1000 Split (SPS 1000 Split)		600 x 640 x 845mm	1000 Kg	Separate	-	230V 50Hz	R 452A	€ 13.610 € 14.130	
AND 1500 Split (SPS 1500 Split)		600 x 640 x 970mm	1500 Kg	Separate	-	230V 50Hz	R 452A	€ 18.560 € 19.150	

		ST Series						
		Storage Bins						
		Dimensions (wxdxh)		Max. depth	Storage capacity	Combinations	Price	
		ST S 150 - Front Store		569 x 850 x 1048mm	1034mm	130 Kg	CQ (150) - SG (140/300)	€ 1750,00
		ST S 200 - Front Store		769 x 850 x 1048mm	1034mm	180 Kg	CQ (150/250/320/400) - SG (140/300/600)	€ 1840,00
ST S 250 - Front Store		1081 x 824 x 968mm	944mm	250 Kg	CP (165) - CS (140) - CQ (250/320/400/450) SG (140/300/600)	€ 2520,00		
ST S 400 - Front Store		1235 x 873 x 1270mm	1155mm	400 Kg	CP (165/300) - CS (140/280) - CQ (250/320/400/450) SG (300/600) - SPS (250/600/1000)	€ 3020,00		
ST SD 500 - Upright Store		1220 x 1128 x 1427mm	1410mm	550 Kg	SG (600) - SPS (250/600/1000)	€ 7880,00		
ST SD 1000 - Upright Store		1830 x 1470 x 1290mm	1750mm	1060 Kg	SPS (600/1000/1500)	€ 11020,00		
ST C 150 - Store w/ transport System		885 x 1025 x 1343mm	1169mm	137 + 73 Kg (x1 cart)	SG (140/300)	€ 6990,00		
ST C 300 - Store w/ transport System		885 x 1267 x 1803mm	1553mm	318 + 73 Kg (x1 cart)	SG (300/600)	€ 9390,00		
ST C 600 - Store w/ transport System		1753 x 1267 x 1803mm	1553mm	613 + 146 Kg (x2 carts)	SG (600) - SPS (250/600/1000/1500)	€ 16170,00		
CART		1088 x 636 x 898mm	-	73 Kg	-	€ 1940,00		
BUCKET - Pack of 6 pcs.		350 x 175 x 387mm	-	8 Kg	-	€ 930		

		Accessories			
		Description		Code	Price
		Large scoop		618103	€ 43
Remote on-off switch		Remote control system with timer for SPS 250-600-1000-1500	8095-0055	€ 810	
Ice level sensor		Ice level sensor for SPS 250-600-1000-1500	625500	€ 320	
Peristaltic pump		Salt water dosing pump for SPS 250-600-1000-1500	6005-0001	€ 225	
Drain pump		External drain pump for ice makers. Max. flow: 8 l/min. Max pumping height: 5m	K04098	€ 260	
Set 4 high feet (95 - 140mm)		Set 4 high feet, adjustable height, for the following models: CP/CS 25.6-30.12-40.15-45.15-50.25	16426	€ 70	

		Water treatment			
		Description		Code	Price
		Filter head		Filter head for i2000 and i4000 cartridge	00K17765
Cartridge filter (i2000)		0,5 micron filtration cartridge filter. Capacity: 34 069 l	00K17766	€ 225	
Cartridge filter (i4000)		0,5 micron filtration cartridge filter. Capacity: 45 424 l	00K17767	€ 300	
Citric acid		Food grade citric acid to remove scale build-up	K04386	€ 72	
Polyphosphate dosing unit		Polyphosphate dosing unit to prevent scale build-up. Each unit contain one sachet. Filter capacity: 50 000 l	00K18021	€ 160	
Polyphosphates		Food grade polyphosphate	K04764	€ 84	

(*) Dimension without feet H feet = 0 ÷ 20mm
(**) Dimension without feet H feet = 125 ÷ 190mm
(***) Dimension without feet H feet = 80 ÷ 100mm